

MA 8020: Numerical Analysis II

Syllabus and Introduction



Suh-Yuh Yang (楊肅煜)

Department of Mathematics, National Central University
Jhongli District, Taoyuan City 320317, Taiwan

February 14, 2025

Syllabus


- **Instructor:** Prof. Suh-Yuh Yang (楊肅煜)
Office: M315, Hong-Jing Hall
Phone: 03-4227151 ext. 65130
- **Office hours:** Tuesday 10:00 ~ 12:00 am or by appointment.
Teaching assistant: 廖育暄 (yuhsuan2023@g.ncu.edu.tw)
- **Prerequisites:** MA 8019-Numerical Analysis I and some knowledge of the software MATLAB:
<https://portal.ncu.edu.tw/>
校園授權軟體服務網裡面有關於Matlab的下載方式說明！
- **Assignments:** approximately every two weeks, will consist of theoretical problems or computer projects. The students are encouraged to discuss homework with other classmates.
Direct copying is absolutely not allowed.
- **Examinations:** there will be *a midterm and a final exam.*
- **Grading policy:** *assignments 40%, midterm 30% and final 30%.*

Course objectives

- (1) This course introduces students to various types of mathematical analysis that are commonly needed in scientific computing.
- (2) The subject of numerical analysis is treated from a mathematical point of view, offering a complete analysis of methods for scientific computing with appropriate motivations and careful proofs.

Textbook

David Kincaid and Ward Cheney, *Numerical Analysis: Mathematics of Scientific Computing, Third Edition*, 2002, Brooks/Cole.



<http://www.ma.utexas.edu/CNA/NA3/index.html>

Errata: <http://www.ma.utexas.edu/CNA/NA3/errata.html>

Important dates

- The period for adding and dropping: February 12-26, 2025
- The period for withdrawing: March 31-May 09, 2025
- Spring break: **April 02 (Wed), 2025, recess, no class!**
- Midterm: April 15 (Tue., 9th week), 2025
- Final exam: June 10 (Tue., 17th week), 2025

Outline of the course

- Approximating functions (§6.1-§6.4, §6.7-§6.8)
- Numerical differentiation and integration (§7.1-§7.5)
- Numerical solution of ordinary differential equations (§8.1-§8.9, §8.12)
- Numerical solution of partial differential equations (§9.1-§9.4)

Topic 1: Approximating functions

- **Polynomial interpolation:** we are given $n + 1$ data points $(x_i, y_i), i = 0, 1, \dots, n$, and we seek a polynomial p such that $p(x_i) = y_i, 0 \leq i \leq n$, where $y_i = f(x_i)$ for some function f .
- **Hermite interpolation:** the interpolation of a function and some of its derivatives at a set of nodes. e.g., find a polynomial p such that $p(x_i) = f(x_i)$ and $p'(x_i) = f'(x_i), i = 0, 1$.
- **Spline interpolation:** a spline function of degree k is a piecewise polynomial of degree at most k having continuous derivatives of all orders up to $k - 1$.
- **Taylor series and best approximation**

Topic 2: Numerical differentiation and integration

- **Numerical differentiation**

- Based on Taylor's theorem: $f(x+h) = f(x) + hf'(x) + \frac{h^2}{2}f''(\xi)$.
- Based on polynomial interpolation: let p be the Lagrange interpolation of f . Then $f'(x) \approx p'(x)$.

- **Numerical integration based on interpolation:** let p be the Lagrange interpolation of f . Then $\int_a^b f(x)dx \approx \int_a^b p(x)dx$.

- **Gaussian quadrature:** find A_i and $x_i, i = 0, 1, \dots, n$, such that $\int_a^b f(x)dx \approx \sum_{i=0}^n A_i f(x_i)$ and it will be exact for polynomials of degree $\leq 2n + 1$.

- **Adaptive quadrature:** the user supplies only $f, [a, b]$ and the accuracy ε desired for computing $\int_a^b f(x)dx$. The program then divides $[a, b]$ into pieces of varying length so that the numerical integration produce results of acceptable precision.

Topic 3: Numerical solution of ordinary differential equations

- **Existence and uniqueness** of the initial value problem:

$$\begin{cases} x'(t) = f(t, x), \\ x(t_0) = x_0. \end{cases}$$

- **Taylor-series method:**

$$x(t+h) = x(t) + hx'(t) + \frac{h^2}{2!}x''(t) + \frac{h^3}{3!}x'''(t) + \dots$$

- **Runge-Kutta methods:** in Taylor-series method, we have to determine $x'', x''', x^{(4)}, \dots$. RKs avoid this difficulty.
- **Multistep methods:** e.g., the Adams-Bashforth of order 5,

$$x_{n+1} = x_n + \frac{h}{720} \{1901f_n - 2774f_{n-1} + 2616f_{n-2} - 1274f_{n-3} + 251f_{n-4}\}.$$

- **Convergence, stability and consistency:** for multistep method, we have *convergent* \iff *stable + consistent*.
- **Boundary value problems:** shooting method, FDM.

Topic 4: Numerical solution of partial differential equations

- **Parabolic problems:** finite difference method - explicit, implicit.
- **Elliptic problems:** finite difference and finite element methods.
- **Hyperbolic problems:** characteristics.